

I CLAIM:

1. A power outlet strip comprising:

a housing including a lower casing and an upper casing secured together, said upper casing including an opening formed therein and
5 defined by a peripheral fence,

a cover engageable into said opening of said upper casing, and engageable with said peripheral fence, to anchor said cover to said upper casing, said cover including at least one aperture formed therein,

10 at least one female receptacle engageable into said at least one aperture of said cover, and including at least two holes formed therein for receiving prongs, and

two conductor blades attached to said at least one female receptacle, and each including at least one spring contact provided
15 thereon and aligned with said at least two holes of said at least one female receptacle respectively for receiving the prongs.

2. The power outlet strip as claimed in claim 1, wherein said cover includes an outer peripheral wall having at least one peripheral flange laterally extended from said outer peripheral wall,
20 to engage with said peripheral fence of said upper casing, and to anchor said cover to said upper casing.

3. The power outlet strip as claimed in claim 1, wherein said cover includes at least one notch formed therein, said upper casing includes at least one catch extended therefrom and engaged into said
25 at least one notch of said cover, to secure said cover and said upper casing together.

4. The power outlet strip as claimed in claim 1, wherein said

cover includes at least one peripheral fence extended therefrom to define said at least one aperture thereof, and to receive said at least one female receptacle therein.

5 5. The power outlet strip as claimed in claim 1, wherein said at least one female receptacle includes at least one notch formed therein, said cover includes at least one catch extended therefrom and engaged into said at least one notch of said at least one female receptacle, to secure said cover and said at least one female receptacle together.

10 6. The power outlet strip as claimed in claim 1, wherein said at least one female receptacle includes at least two conduits extended therefrom to define said at least two holes of said at least one female receptacle, and to receive said at least one spring contact of said conductors respectively.

15 7. The power outlet strip as claimed in claim 6, wherein each of said at least two conduits of said at least one female receptacle includes a slot formed therein, to receive and to anchor said conductors to said at least one female receptacle.

20 8. The power outlet strip as claimed in claim 6, wherein each of said at least two conduits of said at least one female receptacle includes at least one rib extended therefrom, to engage with said at least one spring contact of said conductors respectively, and to anchor said at least one spring contact of said conductors to said at least two conduits of said at least one female receptacle
25 respectively.

9. The power outlet strip as claimed in claim 1 further comprising a third conductor blade disposed in said housing for

grounding purposes.

10. The power outlet strip as claimed in claim 9, wherein said
at least one female receptacle includes a third conduit extended
therefrom to define at least one third hole therein, and said third
5 conductor includes at least one spring contact extended therefrom
and engaged into said at least one third hole of said third conduit.

11. The power outlet strip as claimed in claim 9, wherein said
third conductor includes at least one aperture formed therein, said
cover includes at least one peg extended therefrom, and engaged
10 into said at least one aperture of said third conductor, to anchor said
third conductor to said cover.

12. The power outlet strip as claimed in claim 9, wherein said
lower casing includes at least one protrusion extended therefrom
and engaged with said third conductor blade, to anchor said third
15 conductor blade to said cover.

13. The power outlet strip as claimed in claim 1, wherein said
lower casing includes at least one extension extended therefrom and
engaged between said two conductor blades, to separate said two
conductor blades from each other.

20 14. The power outlet strip as claimed in claim 1, wherein said
cover includes an orifice formed therein, and a master switch is
further provided and received in said orifice of said cover for
controlling said power outlet strip.

15. The power outlet strip as claimed in claim 1, wherein each
25 of said two conductor blades includes at least one projection
extended therefrom for engaging with the prongs.